



BMC FootPrints Service Core System Requirements

Version 11.5

Legal Notices

©Copyright 1999, 2009 BMC Software, Inc. © Copyright 1996 - 2012 Numara Software, Inc.

BMC, BMC Software, and the BMC Software logo are the exclusive properties of BMC Software, Inc., are registered with the U.S. Patent and Trademark Office, and may be registered or pending registration in other countries. All other BMC trademarks, service marks, and logos may be registered or pending registration in the U.S. or in other countries. All other trademarks or registered trademarks are the property of their respective owners.

FootPrints is the exclusive property of Numara Software, Inc. and is registered with the U.S. Patent and Trademark Office, and may be registered or pending registration in other countries. All other Numara Software trademarks, service marks, and logos may be registered or pending registration in the U.S. or in other countries. All other trademarks or registered trademarks are the property of their respective owners.

Cisco is a registered trademark or trademark of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

IBM is the trademark or registered trademark of International Business Machines Corporation in the United States, other countries, or both.

IT Infrastructure Library® is a registered trademark of the Office of Government Commerce and is used here by BMC Software, Inc., under license from and with the permission of OGC.

ITIL® is a Registered Trade Mark of the Office of Government Commerce in the United Kingdom and other countries.

Linux is the registered trademark of Linus Torvalds.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

SAP is the trademark or registered trademark of SAP AG in Germany and in several other countries.

UNIX is the registered trademark of The Open Group in the US and other countries.

The information included in this documentation is the proprietary and confidential information of BMC Software, Inc., its affiliates, or licensors. Your use of this information is subject to the terms and conditions of the applicable End User License agreement for the product and to the proprietary and restricted rights notices included in the product documentation.

Restricted rights legend

U.S. Government Restricted Rights to Computer Software. UNPUBLISHED—RIGHTS RESERVED UNDER THE COPYRIGHT LAWS OF THE UNITED STATES. Use, duplication, or disclosure of any data and computer software by the U.S. Government is subject to restrictions, as applicable, set forth in FAR Section 52.227-14, DFARS 252.227-7013, DFARS 252.227-7014, DFARS 252.227-7015, and DFARS 252.227-7025, as amended from time to time. Contractor/Manufacturer is BMC SOFTWARE INC,

2101 CITYWEST BLVD, HOUSTON TX 77042-2827, USA. Any contract notices should be sent to this address.

BMC Software Inc.

2101 CityWest Blvd, Houston TX 77042-2827, USA

713 918 8800

Customer Support: 800 537 1813 (United States and Canada) or contact your local support center

Table of Contents

- BMC FootPrints Service Core Technical Highlights 1
- Mobile Requirements..... 1
 - Currently Tested Devices..... 1
 - Offline Personal Information Manager (PIM) Specifications 1
- Versions of BMC FootPrints Service Core for Microsoft Windows Web Servers..... 2
- Versions of BMC FootPrints Service Core for UNIX and Linux Web Servers..... 3
- Suggested Hardware Based on Volume⁴ 4
- Server Virtualization..... 5
- BMC FootPrints Service Core Delivery Options..... 5

BMC FootPrints Service Core Technical Highlights

- 100% web-based
- Resides on a single, central computer running a web server
- No client software required; only a standard web-browser (If using the integration with BMC® FootPrints Asset Core, please refer to the BMC FootPrints Asset Core Tech Specs for client specs. Java version 1.6.0 16 or higher is needed for the integration)
- No programming needed for implementation or ongoing administration
- Supports multiple platforms, databases, email systems, client systems and web browsers
- Integrates with telephony systems to automate call routing and auto-populate tickets
- Offers robust security with configurable security roles, support for multiple authentication methods, secure LDAP, secure IMAP and SSL
- Includes 64-bit support for x86 servers

BMC FootPrints Service Core uses HTML and JavaScript™ to display dynamic web content. It makes use of AJAX technology for just-in-time data delivery and uses modern JavaScript libraries like YUI and Ext JS to display its presentation layer. Perl™ and Java are used on the server to generate all of the dynamic web content and interface with the back-end database via DBI/DBD and ODBC. All configurations are performed through the browser without any programming.

Users can be authenticated directly against their Microsoft® Windows®, LDAP, web server, UNIX or native BMC FootPrints Service Core login ID and password. BMC FootPrints Service Core then assigns users to their proper roles, giving them their established preferences and permissions within the system.

Mobile Requirements

Smartphone with a minimum display width of 320 pixels

Currently Tested Devices

Rim® Blackberry® 8700 series, 8300 series (Curve™), 8800 series (World Edition) , 9000 series (Bold™), and 9630 series (Tour™)

Rim Blackberry 8100 and 8200 series (Pearl™) are not supported

Palm® Treo™ running Windows® Mobile 5 or 6 (Palm OS is not supported)

Apple® iPhone® 3G, 3GS, 4 and 4s

HTC Desire Bravo, Desire A8181 on Android 2.2

Other devices not listed may also be supported. If your device is not listed, it can be easily tested through our hosting site without special configuration. Contact a BMC Software sales representative for details.

Offline Personal Information Manager (PIM) Specifications

Supported Operating Systems: Windows 2000, Windows 2003, Windows XP, Windows Vista®

Supported PIM software: Microsoft Outlook®, Microsoft Outlook Express, Lotus Notes®, Palm Desktop, Palm HotSync®

Supported PDAs: PocketPC® (through Outlook), BlackBerry (through Outlook or Lotus Notes), Palm (through Palm HotSync or Palm Desktop)

Transfer options: Agent can select either two-way or one-way (PIM-to-BMC FootPrints Service Core or BMC FootPrints Service Core-to-PIM) transfer

Versions of BMC FootPrints Service Core for Microsoft Windows Web Servers

Platform	Windows Server® 2008 (32-bit and 64-bit) Windows Server 2003 (32-bit and 64-bit) Windows Server 2008 R2 (64-bit)
File System	NTFS-formatted hard drive
Web Server	Internet Information Server (IIS) v6-7.5

Database	Microsoft SQL Server	Oracle
Version	Microsoft SQL Server 2005/2008/2008r2 ¹ Microsoft SQL Server Express 2005/2008	Oracle 10g/11g ² (Note: The database can reside on a Windows, Linux, or UNIX server) Oracle Text required
Hardware 1 – 20 users ³	SQL Server on a different server: <ul style="list-style-type: none"> 4 GB RAM 1 Xeon® or Opteron™ 2.4 GHz processor or better 20 GB disk space 	Oracle on a different server: <ul style="list-style-type: none"> 4 GB RAM 1 – 2.4 GHz processor or better 20 GB disk space
Hardware 1 – 20 users ³	SQL Server on the same server: <ul style="list-style-type: none"> 4 - 8 GB RAM 1 – 2.4 GHz processor or better 20 GB disk space 	Oracle on the same server: <ul style="list-style-type: none"> 4 - 8 GB RAM 1 – 2.4 GHz processor or better 20 GB disk space
Hardware 21 – 50 users ³	SQL Server on a different server: <ul style="list-style-type: none"> 4 GB RAM 2 – 2.4 GHz processor or better 40 GB disk space 	Oracle on a different server: <ul style="list-style-type: none"> 4 GB RAM 2 – 2.4 GHz processor or better 40 GB disk space
Hardware 21 – 50 users ³	SQL Server on the same server: <ul style="list-style-type: none"> 4 - 8 GB RAM 2 – 2.4 GHz processor or better 40 GB disk space 	Oracle on the same server: <ul style="list-style-type: none"> 4 - 8 GB RAM 2 – 2.4 GHz processor or better 40 GB disk space

Hardware Large Volume 51+ Users ³	See the Suggested hardware based on volume chart on the next page.
Email	SMTP for email notification, i.e., as provided by Microsoft Exchange and Lotus Domino® POP/IMAP/IMAP-SSL for incoming email processing, i.e. as provided by Microsoft Exchange and Lotus Domino
Client Platform	Any supported web browser as defined below. Java version 1.6.0 16 or higher required. For client specifications, refer to the BMC FootPrints Asset Core Technical Specifications.
Web Browser	Microsoft Internet Explorer® 7 - 9, Mozilla® Firefox® Google Chrome, Safari® 5.0.x on MacOS®

Versions of BMC FootPrints Service Core for UNIX and Linux Web Servers

Platform	Linux	Oracle Solaris™ (for upgrade only)
Version	Any Intel® 32 or 64 bit Linux system built from glibc 2.3-2.10.x	Oracle Solaris for SPARC® 2.8 or higher
Web Server	Apache® 2.x, Tomcat 6	Apache 2.x, Tomcat 6
Database	MySQL5 - 5.5 Oracle 10g/11g(2) (Oracle Text required) PostgreSQL 8.4	MySQL5 - 5.5 Oracle 10g/11g(2) (Oracle Text required) PostgreSQL 8.4
Hardware 1 – 20 users ³	Database either on same server or different server: <ul style="list-style-type: none"> • 4 GB RAM • 1 – 2.4 GHz processor or better 20 GB disk space 	Database either on same server or different server: <ul style="list-style-type: none"> • 4 GB RAM • 1 – 2+ GHz processor 20 GB disk space
Hardware 21 – 50 users ³	Database either on same server or different server: <ul style="list-style-type: none"> • 4 - 8 GB RAM • 2 – 2.4 GHz processor or better 20 GB disk space 	Database either on same server or different server: <ul style="list-style-type: none"> • 4 - 8 GB RAM • 2 – 2+ GHz processors 40 GB disk space

Hardware Large Volume 51+ Users ³	See the Suggested hardware based on volume chart below.
Email	Locally installed Sendmail SMTP, i.e. as provided by Microsoft Exchange and Lotus Domino POP/IMAP/IMAP-SSL, i.e. as provided by Microsoft Exchange and Lotus Domino
Client Platform	Any supported web browser as defined below. Java version 1.6.0 16 or higher required. Please refer to the BMC FootPrints Asset Core Tech Specs for client specs.
Web Browser	Microsoft Internet Explorer 7 - 9, Mozilla Firefox Google Chrome, Safari 5.0.x on Mac OS

Suggested Hardware Based on Volume⁴

Platform # Of Users ³	Windows 32 or 64 Bit 2003 /2008 R2 Server w/2 GB RAM	Linux 32 or 64 bit Any Intel Server w/2 GB RAM	Oracle Solaris Oracle SPARC Server w/2 GB RAM (for upgrade only)
1-20	4 GB RAM 1 – Xeon or Opteron 2.4 GHz processor or better	4 GB RAM 1 – Xeon or Opteron 2.4 GHz processor or better	4 GB RAM 1 – 2+ GHz Processor
21-50	4 GB RAM 2 – Xeon or Opteron 2.4 GHz processor or better	4 GB RAM 2 – Xeon or Opteron 2.4 GHz processor or better	4 GB RAM 2 – 2+ GHz Processors
51-150 ⁵	8 GB RAM 4 – Xeon or Opteron 2.4 GHz processor or better	8 GB RAM 2 – Xeon or Opteron 2.4 GHz processor or better	8 GB RAM 4 – 2+ GHz Processors
151-249 ⁶	8 GB RAM 8 – Xeon or Opteron 2.4 GHz processor or better	8 GB RAM 4 – Xeon or Opteron 2.4 GHz processor or better	8 GB RAM 4 – 2+ GHz Processors
250-500 ⁷	16 GB RAM 16 – Xeon or Opteron 2.4 GHz processor or better	16 GB RAM 8 – Xeon or Opteron 2.4 GHz processor or better	16 GB RAM 8 – 2+ GHz Processors
501+	32 GB RAM 32 – Xeon or Opteron 2.4 GHz processor or better	32+ GB RAM 16+ Xeon or Opteron 2.4 GHz processor or better	32+ GB RAM 16+ – 2+ GHz Processors
Sample Server for Large Volume ⁸	HP Proliant DL500 series, IBM x3850 X5 or Dell® PowerEdge™ R200 for up to 150 users. HP Integrity Servers, IBM x3950 R2, or Dell PowerEdge R900 for over 150 users.	HP Integrity rx7620-16 Server	Oracle SPARC M-class Enterprise Series Server (for upgrade only)

- (1) Use of BMC FootPrints Service Core with Microsoft SQL Server may require additional Microsoft licenses. For more information, contact Microsoft at www.microsoft.com. A no-cost Microsoft SQL Server Express 2005 is available from BMC Software.
- (2) Use of BMC FootPrints Service Core with Oracle may require additional Oracle licenses. For more information, contact Oracle at www.oracle.com.
- (3) The number of users refers to the average number of concurrent users on the system at any one time. This should include agents and 1-2 percent of the total number of customers (if using BMC FootPrints Service Core for customer service). So, if you have 20 agents and 1000 customers using customer self-service, 30-40 users should be counted. This is only a rough guide. Actual load on the system is dependent upon your usage of BMC FootPrints Service Core.
- (4) The hardware requirements for large volume usage assume a 2 server install with both the application and database server matching the suggested specifications.

- (5) Windows 2003 Standard (SP2 and R2) supports up to 4 processors and 4 GB RAM. Windows 2008 and 2008 R2 supports up to 4 GB RAM, and (64-bit) supports up to 32 GB RAM.
- (6) Windows 2003 Enterprise (SP2 and R2) supports up to 8 processors and 64 GB RAM. Windows 2008 and 2008 R2 supports up to 64 GB RAM and (64-bit) supports up to 2 TB RAM.
- (7) Windows 2003 DataCenter supports up to 32 processors and 64 GB RAM. Windows 2008 and 2008 R2 supports up to 64 GB RAM and (64-bit) supports up to 2 TB RAM.
- (8) “Sample Server” is not intended to be an inclusive list of authorized hardware or vendors, but examples of possible servers that can be used.
- (9) **Note:** Dual and Quad Core CPUs are equivalent to 2 and 4 processors respectively. 4 Processors can be 4 single CPUs, 2 Dual Core, or 1 Quad Core.

Server Virtualization

BMC FootPrints Service Core has been proven by BMC Software customers to function properly in virtualized data centers that use VMware® ESXi™, VMware Infrastructure™ and Microsoft Hyper-V Core Server 2008 R2. BMC FootPrints Service Core is only supported in these environments if the product is installed on an approved OS platform, web server and database. BMC FootPrints Service Core may work properly on other virtualization products, but BMC Software has not tested them and verified that functionality.

Furthermore, BMC Software has no documented statistics regarding the performance of BMC FootPrints Service Core in these environments since the mix of outside vendors' applications and hardware can have a direct impact on overall performance.

Additionally, should BMC Software believe that the virtualization layer is the root cause of an incident; the customer will be required to contact the appropriate virtualization layer support provider to resolve the virtualization issue.

BMC Software server components are not supported on VMware Server™ or VMware Workstation using the GSX engine in a production environment since it is not designed for hardware optimization.

BMC FootPrints Service Core Delivery Options

With BMC FootPrints Service Core, customers have the option to subscribe (SaaS) or purchase the product. Subscriptions are hosted by BMC Software. Subscriptions can also be purchased and brought on site at a later date.